COMMONWEALTH OF VIRGINIA DEPARTMENT OF HEALTH

OFFICE O

Autopsy No W-118-85 4/4/85 Date 11:00 AM Time

920 S

DEL ATTIMENT OF THE TETT	10/1
OF THE CHIEF MEDICAL EXAMINER	LPR 1985
WESTERN DISTRICT OUTH JEFFERSON STREET, ROOM 301	RECEIVED
ROANOKE, VIRGINIA 24016 PHONE: (703) 982-7290	WESTERN DIVIS
REPORT OF AUTOPSY	CHIEF MEDICA EXAMINER
	165371-0101

	EXAMINER (35)
DECEDENT W. R. DEREK HAYSOM First Mid	dle Type of Death: Violent or unnatural
Autopsy Authorized by: Paul Lilly, M. D., Bedfo	Means: Stabbing
Autopsy Authorized by.	Persons Present at Autopsy:
Body Identified by: Morgue tag. Body delivered by Duiguid Funeral Home 4/4/85	Dr. Oxley Phillip Baker, CA Attorney, Mr. Berger Bedford County Investigator Rush, Bedford Co. Sheriff's Dept.
Rigor: complete <u>passed</u> jawnec	cklegs
Livor: color <u>absent</u> distribution: Age 70 Race <u>white</u> Sex <u>male</u> Length 68'' Hair <u>gray</u> Mustache <u>no</u> Beard <u>no</u>	Weight 165 Eyes gray Pupils R 0.4 L 0.4 Circumcised yes Body Heat absent
Clothing, Personal Effects; External wounds, scars, tattoos, other identical	tifying features:
areas of slashing, hesitation marks, and ragg The dentition is artificial in the upper jaw There are approximately 11 stab and slash wou There is a large defense cut which traverses dorsum of the right thumb. There is a defense the right wrist. There is a defense cut on the defense cut in the web between the left thumb present in the right, left and midback. The There is stasis dermatitis present on both low back and chest, exclusive of the large wounds approximately 1/8 inch and there is one large	f the neck which has completely severed the larynx above the thyroid prominence and has re slash wounds on the right lateral cheek, re are incised wounds present on the chin. 3/4 of the way around the neck and shows large ed areas over the skin of the inferior portion. and natural and in good repair in the lower jaw. Indeed the right, left and anterior chest. The right palm. There is a defense cut on the ecut on the lateral aspect of the dorsum of the inner aspect of the right arm. There is a and forefinger. There are 14 stab wounds left calf is somewhat larger than the right. Where legs and ankles. The stab wounds on the of the face, vary in size from 1/2 x slash wound on the right lower chest following gapes to approximately 1-inch. The other stab
Cause of Death:	
Slash wounds of neck and stab wound of neck we Halsvenen carotids and jugulars, and perforation of hea	
The facts stated herein are true and correct to the best of my k	nowledge and belief.
U 8 8 CHRV Date Signed Place of Autopsy	Signature of Pathologist
COLY TESTE: AUG 19 198 CME FORM NO 10 REVISED 1 76 Deputy Chief Medical Examine	David W. Oxley, M. D. Deputy Chief Medical Examine Gommonwaship Extillibit A & Commonwaship A & Co

GROSS DESCRIPTION

The body is opened in the usual Y-shaped manner. There is approximately 150 cc. of blood in the left pleural cavity; approximately 300 cc. in the pericardial sac. The right pleural cavity and peritoneal cavities are dry.

apical, an der Spitze ventricle, Herzkammer

HEART: 320 grams. There is a stab wound entering the apical portion of the left ventricle. This is a combination stab and slash that measures approximately $1\frac{1}{2} \times 1/8$ inch and has perforated the ventricle causing hemorrhage into the pericardial sac. There are no other valve or chamber lesions. The coronary arteries show moderate atherosclerosis amounting in some areas to up to 45%.

LUNGS: 600 grams combined. The pleural surfaces are pinkish tan. The organs show no stab wounds. The tracheo bronchial system contains a very small quantity of blood. The arterial system is not remarkable.

LIVER: 1500 grams. Shows no pathologic changes.

SPLEEN: 150 grams. No pathologic changes.

KIDNEYS: 250 grams combined. No pathologic changes.

ADRENALS: Not remarkable. PANCREAS: Not remarkable.

verdaut

GI TRACT: The stomach contains approximately 250 cc. of partially digested food Restbestand, remainder consisting of ground meat, pickles, onion and a very small amount of rice. The remainder of the GI tract is not remarkable.

URINARY BLADDER: Contains approximately 50 cc. of urine.

NECK ORGANS: The trachea is completely severed just above the laryngeal prominence, as are the carotid arteries and jugular veins bilaterally.

BRAIN: 1450 grams. Sagittal and serial coronal sections show no discrete lesions or evidence of injury.

SKULL, VERTEBRAE, RIBS, PELVIS: Intact.

PATHOLOGICAL DIAGNOSES

Kehlkop

- 1. Slash wound of neck with transection of larynx, carotid arteries and jugular veins bilateral.
- 2. Multiple slash wounds of face and chin.
- 3. Multiple stab and slash wounds of chest and back.
- 4. Multiple defense wounds of hands, bilateral.
- 5. Coronary atherosclerosis.
- 6. Hemothorax and hemopericardium.
- 7. Stasis dermatitis of lower extremities.

OTHER LABORATORY PROCEDURE	S: TOXICOLOGY XX BACTERIOLO PHOTOGRAPHY X SEROLOGY	DGY DENTAL CHART D FORENSIC SCIENC		PRINT 🗆
DISPOSITION OF EVIDENCE				
TYPE (Clothing, Bullets, Etc.)	NAME OF RECIPIENT	ADDRESS	OFFICIAL TITLE	DATE
cc. Or Lecey of	18/85			



Commonwealth of Virginia Department of General Services Division of Consolidated Laboratory Services BUREAU OF FORENSIC SCIENCE

CERTIFICATE OF ANALYSIS

April 8, 1985

TO:

Paul Lilly, M.D.

Forest Family Physicians, Inc.

Forest, VA 24551

Western Laboratory
920 S. Jefferson Street

Western Laboratory 920 S. Jefferson Street Room #219 Roanoke, Virginia 24016

Tel. No. (703) 982-7192

Your Case #

850345

Victim(s):

HAYSOM, Derek

FS Lab # W85-01537

Examiner: Richard J. McGarry

Suspect(s):

Evidence Submitted By:

Dr. Oxley

Date Received

4/5/85

Blood for alcohol and carbon monoxide.

RESULTS OF EXAMINATION:

BLOOD:

0.22% alcohol by weight.

Negative for carbon monoxide.

Jehic Ru Parry MSc Toxicologist

RJM/jt

Deputy Chief Medical Examiner

Page ____Of ____

DESCRIPTION OF CLOTHING

Item # 1 consist of a blue/orange velous short sleeved shirt. This is extensively blood-stained and shows multiple stab holes in the back and chest and large areas of cutting and stabbing around the collar and upper portion of the garment.

Item # 2 consists of green work trousers with a brown leather belt. Pockets are empty. The garment is extensively bloodstained.

Item # 3 consist of blue boxer type shorts which are also bloodstained.

Item # 4 consist of a pair of brown support stockings and gray socks.

Item # 5 consists of brown, soft leather moccasin type shoes. These show blood spatters on the upper portion and there is blood on the soles of both mocassins.


The clothing is retained.


Personal effects consists of a silver colored ring on the little finger of the right hand.


DESCRIPTION OF INJURIES:

NOTE: For a graphic representation of the stab wounds, see the accompanying photographs and body diagrams. Of the multiple stab wounds of the chest and back, one stab wound penetrated the anterior chest and heart to a depth of approximately $3\frac{1}{2}$ inches. One stab wound penetrates the left lateral chest but does not penetrate the lung. One stab wound penetrates the back but not the lung. Depth of penetration for these wounds is approximately l-inch. The other stab wounds are superficial.

DEPARTMENT OF HEALTH OFFICE OF THE CHIEF MEDICAL EXAMINER








Decedent's Name Devek Hayou


Examined


By D. Duy wo Date 4/4/85



OFFICE OF THE CHIEF MEDICAL EXAMINER

CME Form—184





Commonwealth of Virginia
Office of the Chief Medical Examiner

Examined By

Decedent's Name

sky, my

Date 4/4/85